## FEDERAL COMMUNICATIONS COMMISSION 445 TWELFTH STREET SW WASHINGTON DC 20554

MEDIA BUREAU AUDIO DIVISION APPLICATION STATUS: (202) 418-2730 WWW.FCC.GOV/media/radio/audio-division ENGINEER: Dale Bickel TELEPHONE: (202) 418-2706 FACSIMILE: (202) 418-1410 E-MAIL: dale.bickel@fcc.gov

March 15, 2016

RadioJones, LLC P.O. Box 5356 Atlanta, GA 31107-5356

Re: WBMZ (FM), Metter, GA

RadioJones, LLC

Facility Identification Number: 73247 Special Temporary Authority (STA)

BSTA-20160309AAM

Dear Licensee:

This is in reference to the request filed March 9, 2016, on behalf of RadioJones, LLC ("RadioJones"). RadioJones requests Special Temporary Authority for continued operation with emergency facilities erected at the station's licensed site, following the collapse of the station's tower structure.

Section 73.1680 of the Commission's rules provides for operation with emergency antenna facilities following damage to authorized antenna systems, provided that an informal request for continued use of an emergency antenna is filed with the Commission within 24 hours. In particular, Section 73.1680(b)(2) provides that FM and TV stations may erect any suitable radiator, or use operable sections of the authorized antenna(s) as an emergency antenna.

Accordingly, the request for STA IS HEREBY GRANTED. Station WBMZ may continue to operate from its licensed site with the following facilities:

Channel 279 (103.7 MHz) Effective radiated power: 0.5 kilowatts (H&V)

Antenna height:

above ground: 36.5 meters above mean sea level: 105.1 meters above average terrain: 36.5 meters

Temporary tower height above ground level: 36.5 meters

RadioJones must notify the Commission when licensed operation is restored. RadioJones must use whatever means are necessary to protect workers and the public from radiofrequency exposure in excess of the Commission's exposure guidelines. *See* 47 CFR § 1.1310.

This authority expires on September 11, 2016. .

Sincerely,

Dale Bickel Senior Engineer Audio Division

Media Bureau

cc: John Trent (via e-mail only)